

Package: ggskewboxplots (via r-universe)

May 13, 2026

Title Skew Boxplot Geoms for 'ggplot2'

Version 1.0.0

Description Provides 'ggplot2' extensions for creating skewed boxplots using several statistical methods (Kimber, 1990 <[doi:10.2307/2347808](https://doi.org/10.2307/2347808)>; Hubert and Vandervieren, 2008 <[doi:10.1016/j.csda.2007.11.008](https://doi.org/10.1016/j.csda.2007.11.008)>; Adil et al., 2015 <[doi:10.18187/pjsor.v11i1.500](https://doi.org/10.18187/pjsor.v11i1.500)>; Babura et al., 2017 <[doi:10.1063/1.4982872](https://doi.org/10.1063/1.4982872)>; Walker et al., 2018 <[doi:10.1080/00031305.2018.1448891](https://doi.org/10.1080/00031305.2018.1448891)>). The package implements custom statistical transformations and geometries to visualize data distributions with an emphasis on skewness.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.3

Imports dplyr, ggplot2, rlang, stats, tidyr

Suggests knitr, rmarkdown, gridExtra, waldo, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Depends R (>= 4.1.0)

NeedsCompilation no

Author Mustafa Cavus [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-6172-5449>>)

Maintainer Mustafa Cavus <mustafacavus@eskisehir.edu.tr>

Config/pak/sysreqs libicu-dev

Repository <https://mcavs.r-universe.dev>

Date/Publication 2026-01-12 19:30:02 UTC

RemoteUrl <https://github.com/cran/ggskewboxplots>

RemoteRef HEAD

RemoteSha 1bb59c91f13c0160868ea96bf72cc26eaf5c91b9

Contents

| | |
|--------------------|---|
| compute_skew_stats | 2 |
| geom_skewboxplot | 2 |
| summarise_skewbox | 4 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

| | |
|--------------------|---|
| compute_skew_stats | <i>Compute alternative boxplot statistics</i> |
|--------------------|---|

Description

Compute alternative boxplot statistics

Usage

```
compute_skew_stats(x, method = "tukey", k = 1.5)
```

Arguments

| | |
|--------|---|
| x | A numeric vector |
| method | Method name ("tukey", "kimber", "hubert", etc.) |
| k | Tuning parameter (default 1.5) |

Value

A list of boxplot stats: ymin, lower, middle, upper, ymax, outliers

| | |
|------------------|---|
| geom_skewboxplot | <i>Skewness-Aware Boxplot (ggplot2 layer)</i> |
|------------------|---|

Description

Draws boxplots using alternative methods for skewness adjustment.

Usage

```
geom_skewboxplot(
  mapping = NULL,
  data = NULL,
  stat = StatSkewBoxplot,
  position = "dodge",
  ...,
  method = "tukey",
  k = 1.5,
```

```

na.rm = FALSE,
show.legend = NA,
inherit.aes = TRUE
)

```

Arguments

| | |
|----------|--|
| mapping | Set of aesthetic mappings created by aes() . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping. |
| data | <p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot().</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p> |
| stat | The statistical transformation to use on the data for this layer. Defaults to "skew-boxplot". |
| position | <p>A position adjustment to use on the data for this layer. This can be used in various ways, including to prevent overplotting and improving the display. The <code>position</code> argument accepts the following:</p> <ul style="list-style-type: none"> • The result of calling a position function, such as position_jitter(). This method allows for passing extra arguments to the position. • A string naming the position adjustment. To give the position as a string, strip the function name of the <code>position_</code> prefix. For example, to use position_jitter(), give the position as "jitter". • For more information and other ways to specify the position, see the layer position documentation. |
| ... | <p>Other arguments passed on to layer()'s <code>params</code> argument. These arguments broadly fall into one of 4 categories below. Notably, further arguments to the <code>position</code> argument, or aesthetics that are required can <i>not</i> be passed through ... Unknown arguments that are not part of the 4 categories below are ignored.</p> <ul style="list-style-type: none"> • Static aesthetics that are not mapped to a scale, but are at a fixed value and apply to the layer as a whole. For example, <code>colour = "red"</code> or <code>linewidth = 3</code>. The geom's documentation has an Aesthetics section that lists the available options. The 'required' aesthetics cannot be passed on to the <code>params</code>. Please note that while passing unmapped aesthetics as vectors is technically possible, the order and required length is not guaranteed to be parallel to the input data. • When constructing a layer using a <code>stat_*()</code> function, the ... argument can be used to pass on parameters to the geom part of the layer. An example of this is <code>stat_density(geom = "area", outline.type = "both")</code>. The geom's documentation lists which parameters it can accept. |

- Inversely, when constructing a layer using a `geom_*()` function, the `...` argument can be used to pass on parameters to the `stat` part of the layer. An example of this is `geom_area(stat = "density", adjust = 0.5)`. The `stat`'s documentation lists which parameters it can accept.
- The `key_glyph` argument of `layer()` may also be passed on through `...`. This can be one of the functions described as [key glyphs](#), to change the display of the layer in the legend.

| | |
|--------------------------|---|
| <code>method</code> | Skew boxplot method (e.g. "tukey", "hubert", etc.) |
| <code>k</code> | Tuning parameter (default = 1.5) |
| <code>na.rm</code> | If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed. |
| <code>show.legend</code> | logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display. |
| <code>inherit.aes</code> | If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> . |

Value

A `ggplot2` layer object that can be added to a `ggplot`.

| | |
|--------------------------------|---|
| <code>summarise_skewbox</code> | <i>Summarise Skew-Aware Boxplot Stats</i> |
|--------------------------------|---|

Description

Summarise skewness-aware boxplot statistics

Usage

```
summarise_skewbox(.data, var, method = "tukey", k = 1.5)
```

Arguments

| | |
|---------------------|---|
| <code>.data</code> | A data frame (preferably grouped) |
| <code>var</code> | Unquoted numeric column name |
| <code>method</code> | Method name (e.g. "adil", "hubert", etc.) |
| <code>k</code> | Tuning parameter (default 1.5) |

Value

A tibble with boxplot stats

Index

`aes()`, [3](#)

`borders()`, [4](#)

`compute_skew_stats`, [2](#)

`fortify()`, [3](#)

`geom_skewboxplot`, [2](#)

`ggplot()`, [3](#)

key glyphs, [4](#)

layer position, [3](#)

`layer()`, [3](#), [4](#)

`summarise_skewbox`, [4](#)